

CONTENTS

FOREWORD	6
INTRODUCTION	8
1 Scope	9
2 Normative references	9
3 Terms and definitions	9
4 Required equipment	10
4.1 CDM ESD tester	10
4.1.1 General	10
4.1.2 Current-sensing element	11
4.1.3 Ground plane	11
4.1.4 Field plate/field plate dielectric layer	11
4.1.5 Charging resistor	11
4.2 Waveform measurement equipment	12
4.2.1 General	12
4.2.2 Cable assemblies	12
4.2.3 Equipment for high-bandwidth waveform measurement	12
4.2.4 Equipment for 1,0 GHz waveform measurement	12
4.3 Verification modules (metal discs)	12
4.4 Capacitance meter	12
4.5 Ohmmeter	12
5 Periodic tester qualification, waveform records, and waveform verification requirements	13
5.1 Overview of required CDM tester evaluations	13
5.2 Waveform capture hardware	13
5.3 Waveform capture setup	13
5.4 Waveform capture procedure	13
5.5 CDM tester qualification/requalification procedure	14
5.5.1 CDM tester qualification/requalification procedure	14
5.5.2 Conditions requiring CDM tester qualification/requalification	14
5.5.3 1 GHz oscilloscope correlation with high bandwidth oscilloscope	14
5.6 CDM tester quarterly and routine waveform verification procedure	15
5.6.1 Quarterly waveform verification procedure	15
5.6.2 Routine waveform verification procedure	15
5.7 Waveform characteristics	15
5.8 Documentation	17
5.9 Procedure for evaluating full CDM tester charging of a device	17
6 CDM ESD testing requirements and procedures	18
6.1 Tester and device preparation	18
6.2 Test requirements	18
6.2.1 Test temperature and humidity	18
6.2.2 Device test	18
6.3 Test procedures	19
6.4 CDM test recording / reporting guidelines	19
6.4.1 CDM test recording	19
6.4.2 CDM Reporting Guidelines	19
6.5 Testing of Devices in Small Packages	19

7	CDM classification criteria	20
	Annex A (normative) Verification module (metal disc) specifications and cleaning guidelines for verification modules and testers	21
	A.1 Tester verification modules and field plate dielectric	21
	A.2 Care of verification modules	21
	Annex B (normative) Capacitance measurement of verification modules (metal discs) sitting on a tester field plate dielectric	22
	Annex C (normative) Testing of small package integrated circuits and discrete semiconductors (ICDS)	23
	C.1 Testing rationale	23
	C.2 Procedure for Determining C_{small}	23
	C.3 ICDS Technology requirements	24
	Annex D (informative) CDM test hardware and metrology improvements	25
	Annex E (informative) CDM tester electrical schematic	27
	Annex F (informative) Sample oscilloscope setup and waveform	28
	F.1 General	28
	F.2 Settings for the 1 GHz bandwidth oscilloscope	28
	F.3 Settings for the high-bandwidth oscilloscope	28
	F.4 Setup	28
	F.5 Sample waveforms from a 1 GHz oscilloscope	28
	F.6 Sample waveforms from an 8 GHz oscilloscope	29
	Annex G (informative) Field-induced CDM tester discharge procedures	31
	G.1 General	31
	G.2 Single discharge procedure	31
	G.3 Dual discharge procedure	31
	Annex H (informative) Waveform verification procedures	33
	H.1 Factor/offset adjustment method	33
	H.2 Software voltage adjustment method	36
	H.3 Example parameter recording tables	38
	Annex I (informative) Determining the appropriate charge delay for full charging of a large module or device	40
	I.1 General	40
	I.2 Procedure for charge delay determination	40
	Annex J (informative) Electrostatic discharge (ESD) sensitivity testing direct contact charged device model (DC-CDM)	42
	J.1 General	42
	J.2 Standard test module	42
	J.3 Test equipment (CDM simulator)	42
	J.3.1 Test equipment design	42
	J.3.2 DUT (device under test) support	43
	J.3.3 Metal bar/board	43
	J.3.4 Equipment setup	43
	J.4 Verification of test equipment	44
	J.4.1 General description of verification test equipment	44
	J.4.2 Instruments for measurement	45
	J.4.3 Verification of test equipment, using a current probe	45
	J.5 Test procedure	46
	J.5.1 Initial measurement	46

J.5.2	Tests	47
J.5.3	Intermediate and final measurement	47
J.6	Failure criteria.....	47
J.7	Classification criteria.....	47
J.8	Summary	47
Bibliography.....		49
Figure 1	– Simplified CDM tester hardware schematic	11
Figure 2	– CDM characteristic waveform and parameters	17
Figure E.1	– Simplified CDM tester electrical schematic.....	27
Figure F.1	– 1 GHz TC 500, small verification module.....	29
Figure F.2	– 1 GHz TC 500, large verification module	29
Figure F.3	– 8 GHz TC 500, small verification module (oscilloscope adjusts for attenuation)	30
Figure F.4	– GHz TC 500, large verification module (oscilloscope adjusts for attenuation)	30
Figure G.1	– Single discharge procedure (field charging, I_{CDM} Pulse, and slow discharge).....	31
Figure G.2	– Dual discharge procedure (field charging, 1 st I_{CDM} pulse, no field, 2 nd I_{CDM} pulse)	32
Figure H.1	– An example of a waveform verification flow for qualification and quarterly checks using the factor/offset adjustment method	34
Figure H.2	– An example of a waveform verification flow for the routine checks using the factor/offset adjustment method	35
Figure H.3	– Example of average I_{peak} for the large verification module – high bandwidth oscilloscope	36
Figure H.4	– An example of a waveform verification flow for qualification and quarterly checks using the software voltage adjustment method	37
Figure H.5	– An example of a waveform verification flow for the routine checks using the software voltage adjustment method	38
Figure I.1	– An example characterization of charge delay vs. I_p	41
Figure J.1	– Examples of discharge circuit where the discharge is caused by closing the switch	43
Figure J.2	– Verification test equipment for measuring the discharge current flowing to the metal bar/board from the standard test module	44
Figure J.3	– Current waveform.....	44
Figure J.4	– Measurement circuit for verification method using a current probe.....	46
Table 1	– CDM waveform characteristics for a 1 GHz bandwidth oscilloscope.....	16
Table 2	– CDM waveform characteristics for a high-bandwidth (≥ 6 GHz) oscilloscope.....	16
Table 3	– CDM ESDS device classification levels	20
Table A.1	– Specification for CDM tester verification modules (metal discs).....	21
Table H.1	– Example waveform parameter recording table for the factor/offset adjustment method	39
Table H.2	– Example waveform parameter recording table for the software voltage adjustment method	39
Table J.1	– Dimensions of the standard test modules	42

Table J.2 – Specified current waveform45

Table J.3 – Range of peak current I_{p1} for test equipment45

Table J.4 – Specification of peak current I_{p1} for the current probe verification method46